

COUNCIL ADMINISTRATIVE REPORT

Department: Business Services (Public Works)

TITLE: 2026 Capital Equipment Purchase
Heavy Truck Accessories



Presenter: Kelsey Allard/Brad Lewis
Prepared by Brad Lewis

DATE: April 22,2026

ATTACHMENTS: Equipment quotes

PURPOSE: For Council to authorize Administration to proceed with these purchases as approved in the 2026 Capital Budget. Dump bodies, RexRoth controls and snow removal equipment for newly approved heavy trucks.

DISCUSSION:

ITEM	2026 Budget Approved	Viking Cives	Commercial Heavy Truck	Tenco
Dump Body for New Heavy Truck	\$650,000 \$473,487 already used for Heavy Truck Purchase	\$66,705	\$N/A	\$N/A
Rexroth Plow Controls, Dump Body and Front Blade for New Unit		\$145,416	\$N/A	\$N/A
Front Discharge Sander (Replacing Unit 915)	\$200,000	\$142,840	\$N/A	\$N/A

FINANCIAL IMPLICATION:

Note: These budget numbers have been combined because some quotes were submitted together.

The combined approved budget for the two replacement heavy trucks, dump bodies and snow removal equipment was \$850,000.

The trucks were approved at the purchase price of \$473,487 on February 25, 2026, council meeting, leaving \$376,513 for the remaining equipment for the trucks.

The dump bodies, RexRoth controls and snow removal equipment quotes came to \$354,961. This is \$21,552 **under** the total approved budget amount.

Vendors were asked about possibly of trading in the old equipment, the vendor said they don't accept sanding equipment in-trades or equipment over ten years old and were not interested.

RECOMMENDATION:

Award the above-mentioned purchases to Viking Cives.

I tried to contact Commercial Heavy Truck and Tenco Plow Equipment and they never submitted a bid for purchase.



canoe
APPROVED SUPPLIER

PRICE QUOTATION

Phone: 587-620-9201 & 780-652-3242

www.vikingcives.com

10500 48 St. SE 2311 5A Street
Calgary, AB & Nisku, AB
T2C 2B8 T9E 8G6

QUOTE #: KT26-041

REVISION LEVEL: **1**

DATE: March 16, 2026

PROPOSED: 45 Weeks after Receipt of P.O.

TERMS: Net 30 Days

F.O.B.: Calgary, AB.

SALESPERSON: Kevin Turcan

CANOE CONTRACT #: CAN-2024-010-VCC

CANOE MEMBER #: AB1530

TO: Foothills County

ATTN: Brad Lewis – Shop Supervisor – brad.lewis@foothillscountyab.ca 1-403-333-5402

RE: 2026 Viking Cives Front Plow Front Centre Discharge VBSAB-II Sander

The above-quoted delivery time is the best known at time of tender call / quotation and is subject to change based upon shop loading at time of receipt of firm order to Viking-Cives Ltd.

Viking-Cives Ltd. is pleased to supply this price quotation for the following equipment as described:

VCL Steel Rev Plows & Options

* VCL4212FE, steel reversible plow, 12' full trip moldboard, 10-gauge, 42" high, 9' 8" clearing path @ 35°

Standard Features:

- 1. Power ram reversing moldboard can discharge snow on the left or right side.**
- 2. Dual compression arms allow the entire moldboard to trip when hitting immovable objects, protecting the road and the plow.**
- 3. Fully welded 3/16" steel moldboard skin.**
- 4. 3 plow attack angle options provide simple edge adjustment for optimal cutting-edge configuration.**
- 5. Adjustable push frame shoes**
 - * 1/2 x 8 x 144" steel cutting edge, **12" center punched**
 - * Western Canada style quick attach lug and bar
 - * Anti-Sail rubber snow deflector - stainless steel with Viking logo laser cut
 - * 2 x 36" plow marker whip, fluorescent orange
 - * Baril DCC-181 Finish w/ corrosion protection: Medium gloss black (moldboard and push frame)
 - * Jack stand for steel reversing plow

Plow Harness & Options

- * **CUSTOMER SUPPLIED** ** VCL500LMW Low Mount Harness includes 5/8" 44w tail plates to suit chassis, plow lift yolk and 4x10 plow lift cylinder. Quick attached pockets and pins included.
- * Cut O.E.M. front bumper and re-install ends to chassis.
- * Grote LED plow lights (**HEATED**) c/w integrated signal lights
- * Medium gloss black (wing towers, harness)
- * **Customer to supply front horn for plow blade lift and front hitch assembly.**

Hoppers & Options

- * VBSAB-II 14' stainless steel hopper (11.7 cu yd water level capacity, 13.8 cu yd w/ 6" extension).

Standard Features:

1. V-Style spreader design specifically designed for sand salt and aggregate material spreading.
 2. Durable 10-gauge stainless steel construction resists material wear and corrosion.
 3. Front discharge.
 4. Integrated chain conveyor
 5. Air tailgate & Dump hoist for easy material unloading.
 6. Galvanized material screens
 7. Front driver side ladder
- * Red/white 2" reflective tape along body fenders & across bottom tailgate
 - * Conveyor motor with sensor in lieu of standard motor.
 - * 1022 litre VBSAB-II hopper mount prewet tank kit c/w pressure fill plumbing kit (2 x 511 litre tanks)
 - * 11 litre flush tank system for prewet lines and pump
 - * Salt doghouse (SSTL)
 - * Gravity chute / front discharge centre spinner - stainless steel
 - * 3 x **Heated** 5" square, 3000 lumen, LED floodlight c/w mounting bracket and wiring harness
- Mounting location:** Conveyor gate, spinner left & spinner right.
- * Grote "Ultra Blue Seal" - **Heated** LED body lighting kit c/w license plate lamp, LH and RH 2-1/2" round red LED rear clearance, 2 x 6" heated oval red LED stop/turn/tail, 2 x 6" heated oval red LED stop/turn/tail with back-up, front side 2-1/2" marker lights.
 - * Ladder to be installed on sander body behind cab driver side
 - * **Customer to supply hoist base & tipping hinge for this build.**

Chassis Options

- * "New" tow apron dump body hinge pintle combination with bracing and two D-rings, rated for maximum 80,000lbs is for class 8 tandem chassis c/w Baril DCC-181 finish - medium gloss black
- * Premier 370A with air plunger and 2" tow eyes 90,000 # MGTW.
- * Pintle hook rubber cover kit

- * *Standard blue and red glad hands.*
- * *Grote LED amber/blue low profile mini bar with clear outer dome for Alberta upper rear air foil.*
- * *Grote LED amber 17" low profile mini bar for cab roof beacon*
- * *Cab roof beacon mounting assembly - aluminum.*
- * *6 pin electric trailer plug if required*
- * *Re-install OEM 7 pin trailer plug*

Rear Alberta Lighting

- * *Alberta stainless steel upper reds w/ checkerboard (does not included stick lights and upper beacon).
With blue & red lights on upper air foil*

Electric & Hydraulic Controls

- * ***Customer supplied*** ** *Bosch Rexroth CS-661 spreader controller & CS-161 joystick*
- * *Chelsea 890 PTO*
- * ***NEW*** *Bosch Rexroth 80cc transmission mounted piston pump*
- * *Bosch Rexroth "On screen" low oil indication*
- * ***Customer supplied*** ** *Bosch Rexroth stainless steel frame mount 151 litre hydraulic tank c/w internal return filter.*
- * *Standard hydraulic oil*
- * ***Customer supplied*** ** *Bosch Rexroth high pressure & pilot oil filter ass'y w/10-micron absolute filter.*
- * *Standard 2 wire hydraulic hose and hose ends by number of sections Aeroquip 100R16 2 Wire EC215 with brazen resistant cover – **as required.***
- * ***Customer supplied*** ** *Bosch Rexroth conveyor & prewet sensor feedback cables*
- * ***Customer supplied*** ** *Sprage Road Watch SS Road Temp sensor with interface to Bosch Rexroth controller.*
- * ***Customer supplied*** ** *Bosch Rexroth 14.7 prewet power unit in stainless enclosure.*
- * ***Customer supplied*** ** *Swivel pedestal console cab mount for Bosch Rexroth spreader controller / joystick*
- * *Air solenoid valves per function (tailgate)*
- * *Cab floor stiffener plate*
- * *All electrical component wiring and junction boxes shall be completely sealed, soldered and heat shrunk, no crump type connectors will be accepted*

VIKING CIVES EQUIPMENT - NET SUPPLIED AND INSTALLED.....\$142,840.00 Each + Tax

Prices are subject to change to the prices in effect at the time of delivery. Viking Cives Ltd. reserves the right to make any corrections to prices quoted due to clerical errors or errors of omission. In the event of any design, specification, ordered quantity, or shipment changes representing a price increase. Buyer will be notified and afforded an opportunity to confirm.

**** DUE TO GLOBAL ECONOMIC CONDITIONS BEYOND OUR CONTROL, INCLUDING POTENTIAL CHANGES IN TARIFFS OR TRADE POLICIES, PRICING ON THIS QUOTATION MAY NO LONGER BE VALID AT TIME OF ORDER ****

**All Applicable Taxes Extra.
QUOTE VALID FOR 30 DAYS.**

Respectfully Submitted,



Kevin Turcan

Regional Sales Manger

**** NOTES FOR THE ABOVE-QUOTED EQUIPMENT ****

- 1) The price and terms on this quotation are not subject to verbal changes or other agreements unless approved in writing by the home office of the seller. All quotations and agreements are contingent upon strikes, accidents, fires, availability of material and all other causes beyond our control. Prices are based on cost and conditions existing on the date of quotation and are subject to changes by the seller before final acceptance.
- 2) Typographical and stenographic errors are subject to correction.
- 3) Conditions not specifically stated herein shall be governed by the established trade customs. Terms inconsistent with those stated herein which may appear on purchaser's final order will not be binding on the Seller.
- 4) **Quoted delivery time:** The above-quoted delivery time is the best known at time of tender call / quotation and is subject to change based upon shop loading at time of chassis arrival and / or receipt of firm order to Viking-Cives Ltd.
- 5) **Chassis requirements:**
 - Chassis specifications must be approved by Viking-Cives Engineering Department prior to acceptance of order.
 - Additional charges are applicable if any modifications in lighting/wiring connections are required.
 - Fully powered chassis OEM plow light connections are required.
 - Electrical connections, body builders plug in's etc., to be provided with chassis (back of cab or inside) to allow installation of auxiliary lighting and electrical connections. High amp system required.
 - Quoted prices **do not** include alteration or relocation of exhaust, battery box, air dryer, or fuel tank etc.
 - Road Speed: **In-cab** provision for spreader control system to pick up road speed is required.
 - Customer to ensure chassis to be supplied is suitable for installation & operation of equipment quoted. Any possible required chassis modifications **are not** included in quoted price.
- 6) Chassis delivery from VCL **is NOT** included in the above-quoted price.
- 7) Delivery of plow and / or wing to customer's yard is included in the above price.
- 8) Auto lubrication system **is NOT** included in the above price.
- 9) Back-up camera system **is NOT** included in the above price.
- 10) Rust proofing **is NOT** included in the above price.



canoe
APPROVED SUPPLIER

PRICE QUOTATION

Phone: 587-620-9201 & 780-652-3242

www.vikingcives.com

10500 48 St. SE 2311 5A Street
Calgary, AB & Nisku, AB
T2C 2B8 T9E 8G6

QUOTE #: KT26-048

REVISION LEVEL:

DATE: March 16, 2026

PROPOSED: 45 Weeks after Receipt of P.O.

TERMS: Net 30 Days

F.O.B.: Calgary, AB.

SALESPERSON: Kevin Turcan

CANOE CONTRACT #: CAN-2024-010-VCC

CANOE MEMBER #: AB1530

TO: Foothills County

ATTN: Brad Lewis – Shop Supervisor – brad.lewis@foothillscountyab.ca 1-403-333-5402

RE: 2026 Beau-Roc Gravel Box

The above-quoted delivery time is the best known at time of tender call / quotation and is subject to change based upon shop loading at time of receipt of firm order to Viking-Cives Ltd.

Viking-Cives Ltd. is pleased to supply this price quotation for the following equipment as described:

Beau-Roc Gravel Box

- * *Beau-Roc DH -15' x 36" x 48" Hardox 450 Gravel body*
- * *Shovel holder installed on driver's side front*
- * *Red/white 2" reflective tape along body fenders & across bottom tailgate*
- * *Stainless steel ladder in lieu of standard ladder*
- * *24" Cab Shield for Beau-Roc Gravel Box*
- * *Grote "Ultra Blue Seal" - **Heated** LED body lighting kit c/w license plate lamp, LH and RH 2-1/2" round red LED rear clearance, 2 x 6" heated oval red LED stop/turn/tail, 2 x 6" heated oval red LED stop/turn/tail with back-up, front side 2-1/2" marker lights. - Beau-Roc Gravel Box*
- * *2 x Grote amber self-flashing LED 6" corner post strobe*
- * *Grote amber 17" low profile LED mini bar with cab shield mount*
- * *Beau-Roc electric tarp c/w aluminum tarp arms, chassis wiring kit/install kit & tarp pivot plates*
- * *Mesh tarp cover*
- * *Mudflap kit for Beau-Roc gravel box*
- * *10" black poly sideboards - Pair*
- * *Dupont Imron Elite Finish w/ chromate epoxy Dupont CR2580 primer. **Paint code: T.B.D.***

Chassis Options

- * "New" tow apron dump body hinge pintle combination with bracing and two D-rings, rated for maximum 80,000lbs is for class 8 tandem chassis c/w Baril DCC-181 finish - medium gloss black
- * Premier 370A with air plunger and 2" tow eyes 90,000 # MGTW.
- * Pintle hook rubber cover kit
- * Standard blue and red glad hands.
- * 6 pin electric trailer plug if required
- * Re-install OEM 7 pin trailer plug

Electric & Hydraulic Controls

- * Parker GS102 Dump Pump
- * Parker - ASK-17 air shift cylinder
- * Parker Chelsea 280 PTO
- * MPFILTRI # CSG-100-P10A return filter.
- * Cross manufacturing selector valve for truck / pup hoist.
- * VCL low oil level indicator w/ in cab warning light to be installed on chassis supplied dash indicator tied into trucks RPM.
- * ** **Chassis supplied** ** 50-gallon aluminum fuel / 50-gallon aluminum hyd tank assembly.
- * Standard hydraulic oil.
- * Standard 2 wire hydraulic hose and hose ends by number of sections Aeroquip 100R16 2 Wire EC215 with brazen resistant cover
- * Floor Console unit - Standard mini
- * Lift to lock RMH air control: Hoist
- * Cab floor stiffener plate
- * Pintle hook to work off park brake circuit
- * Install shut off valves on chassis supplied hydraulic tank and install float level sensor on chassis supplied hyd tank.
- * PTO switch to be on truck dash switch.
- * Tail gate trip for truck chassis & pup chassis to be run off truck chassis dash switches. Truck air tailgate trip to run off chassis supplied air solenoid
- * Truck and pup tarps to be run off truck chassis dash switches.

VIKING CIVES EQUIPMENT - NET SUPPLIED AND INSTALLED.....\$66,705.00 Each + Tax

Prices are subject to change to the prices in effect at the time of delivery. Viking Cives Ltd. reserves the right to make any corrections to prices quoted due to clerical errors or errors of omission. In the event of any design, specification, ordered quantity, or shipment changes representing a price increase. Buyer will be notified and afforded an opportunity to confirm.

**** DUE TO GLOBAL ECONOMIC CONDITIONS BEYOND OUR CONTROL, INCLUDING POTENTIAL CHANGES IN TARIFFS OR TRADE POLICIES, PRICING ON THIS QUOTATION MAY NO LONGER BE VALID AT TIME OF ORDER ****

**All Applicable Taxes Extra.
QUOTE VALID FOR 30 DAYS.**

Respectfully Submitted,



Kevin Turcan

Regional Sales Manger

**** NOTES FOR THE ABOVE-QUOTED EQUIPMENT ****

- 1) The price and terms on this quotation are not subject to verbal changes or other agreements unless approved in writing by the home office of the seller. All quotations and agreements are contingent upon strikes, accidents, fires, availability of material and all other causes beyond our control. Prices are based on cost and conditions existing on the date of quotation and are subject to changes by the seller before final acceptance.
- 2) Typographical and stenographic errors are subject to correction.
- 3) Conditions not specifically stated herein shall be governed by the established trade customs. Terms inconsistent with those stated herein which may appear on purchaser's final order will not be binding on the Seller.
- 4) **Quoted delivery time:** The above-quoted delivery time is the best known at time of tender call / quotation and is subject to change based upon shop loading at time of chassis arrival and / or receipt of firm order to Viking-Cives Ltd.
- 5) **Chassis requirements:**
 - Chassis specifications must be approved by Viking-Cives Engineering Department prior to acceptance of order.
 - Additional charges are applicable if any modifications in lighting/wiring connections are required.
 - Fully powered chassis OEM plow light connections are required.
 - Electrical connections, body builders plug in's etc., to be provided with chassis (back of cab or inside) to allow installation of auxiliary lighting and electrical connections. High amp system required.
 - Quoted prices **do not** include alteration or relocation of exhaust, battery box, air dryer, or fuel tank etc.
 - Road Speed: **In-cab** provision for spreader control system to pick up road speed is required.
 - Customer to ensure chassis to be supplied is suitable for installation & operation of equipment quoted. Any possible required chassis modifications **are not** included in quoted price.
- 6) Chassis delivery from VCL **is NOT** included in the above-quoted price.
- 7) Delivery of plow and / or wing to customer's yard is included in the above price.
- 8) Auto lubrication system **is NOT** included in the above price.
- 9) Back-up camera system **is NOT** included in the above price.
- 10) Rust proofing **is NOT** included in the above price.



canoe
APPROVED SUPPLIER

PRICE QUOTATION

Phone: 587-620-9201 & 780-652-3242

www.vikingcives.com

10500 48 St. SE 2311 5A Street
Calgary, AB & Nisku, AB
T2C 2B8 T9E 8G6

QUOTE #: KT26-042

REVISION LEVEL: **1**

DATE: March 16, 2026

PROPOSED: 45 Weeks after Receipt of P.O.

TERMS: Net 30 Days

F.O.B.: Calgary, AB.

SALESPERSON: Kevin Turcan

CANOE CONTRACT #: CAN-2024-010-VCC

CANOE MEMBER #: AB1530

TO: Foothills County

ATTN: Brad Lewis – Shop Supervisor – brad.lewis@foothillscountyab.ca 1-403-333-5402

RE: 2026 Viking Cives Front Plow with Customer Supplied Slide In Sander & Beau-Roc Gravel Box

The above-quoted delivery time is the best known at time of tender call / quotation and is subject to change based upon shop loading at time of receipt of firm order to Viking-Cives Ltd.

Viking-Cives Ltd. is pleased to supply this price quotation for the following equipment as described:

VCL Steel Rev Plows & Options

* VCL4212FE, steel reversible plow, 12' full trip moldboard, 10-gauge, 42" high, 9' 8" clearing path @ 35°

Standard Features:

1. Power ram reversing moldboard can discharge snow on the left or right side.
2. Dual compression arms allow the entire moldboard to trip when hitting immovable objects, protecting the road and the plow.
3. Fully welded 3/16" steel moldboard skin.
4. 3 plow attack angle options provide simple edge adjustment for optimal cutting-edge configuration.
5. Adjustable push frame shoes
 - * 1/2 x 8 x 144" steel cutting edge, **12" center punched**
 - * Western Canada style quick attach lug and bar
 - * Anti-Sail rubber snow deflector - stainless steel with Viking logo laser cut
 - * 2 x 36" plow marker whip, fluorescent orange
 - * Baril DCC-181 Finish w/ corrosion protection: Medium gloss black (moldboard and push frame)
 - * Jack stand for steel reversing plow.

Plow Harness & Options

- * *VCL500LMW Low Mount Harness includes 5/8" 44w tail plates to suit chassis, plow lift yolk and 4x10 plow lift cylinder. Quick attached pockets and pins included.*
- * *Cut O.E.M. front bumper and re-install ends to chassis.*
- * *Grote LED plow lights (**HEATED**) c/w integrated signal lights*
- * *Medium gloss black (wing towers, harness)*

Beau-Roc Gravel Box

- * *Beau-Roc DH -15' x 36" x 48" Hardox 450 Gravel body*
- * *Shovel holder installed on driver's side front*
- * *Red/white 2" reflective tape along body fenders & across bottom tailgate*
- * *Stainless steel ladder in lieu of standard ladder*
- * *24" Cab Shield for Beau-Roc Gravel Box*
- * *Grote "Ultra Blue Seal" - **Heated** LED body lighting kit c/w license plate lamp, LH and RH 2-1/2" round red LED rear clearance, 2 x 6" heated oval red LED stop/turn/tail, 2 x 6" heated oval red LED stop/turn/tail with back-up, front side 2-1/2" marker lights. - Beau-Roc Gravel Box*
- * *2 x Grote amber self-flashing LED 6" corner post strobe*
- * *Grote amber 17" low profile LED mini bar with cab shield mount*
- * *Beau-Roc electric tarp c/w aluminum tarp arms, chassis wiring kit/install kit & tarp pivot plates*
- * *Mesh tarp cover*
- * *Mudflap kit for Beau-Roc gravel box*
- * *10" black poly sideboards - Pair*
- * *Dupont Imron Elite Finish w/ chromate epoxy Dupont CR2580 primer. **Paint code:** T.B.D.*

Hoppers & Options

- * ***** Customer supplied **** Slide in Sander hopper*
- * *VBS hopper adjustable tailgate lock bar assembly in lieu of standard hold down kit*
- * *Customer supplied sander to be in good working order any repairs required to sander will be quoted as a separate invoice.*

Chassis Options

- * *"New" tow apron dump body hinge pintle combination with bracing and two D-rings, rated for maximum 80,000lbs is for class 8 tandem chassis c/w Baril DCC-181 finish - medium gloss black*
- * *Premier 370A with air plunger and 2" tow eyes 90,000 # MGTW.*
- * *Pintle hook rubber cover kit*
- * *Standard blue and red glad hands.*

- * *6 pin electric trailer plug if required*
- * *Re-install OEM 7 pin trailer plug*

Electric & Hydraulic Controls

- * *Bosch Rexroth CS-661 spreader controller & CS-161 joystick*
- * *Chelsea 890 PTO*
- * *Bosch Rexroth 80cc transmission mounted piston pump*
- * *Bosch Rexroth "On screen" low oil indication*
- * *Bosch Rexroth stainless steel frame mount 151 litre hydraulic tank c/w internal return filter*
- * *Standard hydraulic oil*
- * *Bosch Rexroth high pressure & pilot oil filter ass'y w/10-micron absolute filter*
- * *Standard 2 wire hydraulic hose and hose ends by number of sections Aeroquip 100R16 2 Wire EC215 with brazen resistant cover*
- * *Bosch Rexroth conveyor & prewet sensor feedback cables*
- * *Sprage Road Watch SS Road Temp sensor with interface to Bosch Controller*
- * *Bosch Rexroth 14.7 prewet power unit in stainless enclosure*
- * *Swivel pedestal console cab mount for Bosch Rexroth spreader controller / joystick*
- * *Air solenoid valves per function (tailgate)*
- * *Cab floor stiffener plate*
- * *All electrical component wiring and junction boxes shall be completely sealed, soldered and heat shrunk, no crump type connectors will be accepted*

VIKING CIVES EQUIPMENT - NET SUPPLIED AND INSTALLED.....\$145,415.55 Each + Tax

Prices are subject to change to the prices in effect at the time of delivery. Viking Cives Ltd. reserves the right to make any corrections to prices quoted due to clerical errors or errors of omission. In the event of any design, specification, ordered quantity, or shipment changes representing a price increase. Buyer will be notified and afforded an opportunity to confirm.

**** DUE TO GLOBAL ECONOMIC CONDITIONS BEYOND OUR CONTROL, INCLUDING POTENTIAL CHANGES IN TARIFFS OR TRADE POLICIES, PRICING ON THIS QUOTATION MAY NO LONGER BE VALID AT TIME OF ORDER ****

**All Applicable Taxes Extra.
QUOTE VALID FOR 30 DAYS.**

Respectfully Submitted,



Kevin Turcan

Regional Sales Manger

**** NOTES FOR THE ABOVE-QUOTED EQUIPMENT ****

- 1) The price and terms on this quotation are not subject to verbal changes or other agreements unless approved in writing by the home office of the seller. All quotations and agreements are contingent upon strikes, accidents, fires, availability of material and all other causes beyond our control. Prices are based on cost and conditions existing on the date of quotation and are subject to changes by the seller before final acceptance.
- 2) Typographical and stenographic errors are subject to correction.
- 3) Conditions not specifically stated herein shall be governed by the established trade customs. Terms inconsistent with those stated herein which may appear on purchaser's final order will not be binding on the Seller.
- 4) **Quoted delivery time:** The above-quoted delivery time is the best known at time of tender call / quotation and is subject to change based upon shop loading at time of chassis arrival and / or receipt of firm order to Viking-Cives Ltd.
- 5) **Chassis requirements:**
 - Chassis specifications must be approved by Viking-Cives Engineering Department prior to acceptance of order.
 - Additional charges are applicable if any modifications in lighting/wiring connections are required.
 - Fully powered chassis OEM plow light connections are required.
 - Electrical connections, body builders plug in's etc., to be provided with chassis (back of cab or inside) to allow installation of auxiliary lighting and electrical connections. High amp system required.
 - Quoted prices **do not** include alteration or relocation of exhaust, battery box, air dryer, or fuel tank etc.
 - Road Speed: **In-cab** provision for spreader control system to pick up road speed is required.
 - Customer to ensure chassis to be supplied is suitable for installation & operation of equipment quoted. Any possible required chassis modifications **are not** included in quoted price.
- 6) Chassis delivery from VCL **is NOT** included in the above-quoted price.
- 7) Delivery of plow and / or wing to customer's yard is included in the above price.
- 8) Auto lubrication system **is NOT** included in the above price.
- 9) Back-up camera system **is NOT** included in the above price.
- 10) Rust proofing **is NOT** included in the above price.